2017 JUN 15 AM 8: 49

## **CERTIFICATION**

Consumer Confidence Report (CCR)

companies community report (core)
JOUN OF MABEN
Public Water Supply Name
0530010
List PWS ID #s for all Community Water Systems included in this CCR
the Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distributed for summer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water water, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to sustomers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax mail a copy of the CCR and Certification to MSDH. Please check all boxes that apply.
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
☐ Advertisement in local paper (attach copy of advertisement)
☐ On water bills (attach copy of bill)
☐ Email message (MUST Email the message to the address below)
☐ Other
Date(s) customers were informed:
CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivered methods used
Date Mailed/Distributed://
CCR was distributed by Email (MUST Email MSDH a copy)  Date Emailed: / /
☐ As a URL (Provide URL
☐ As an attachment
☐ As text within the body of the email message
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper: Webster Progress & Stankville clary News
Date Published: 6/7/17
CCR was posted in public places. (Attach list of locations)  Date Posted: / /
CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED)
ERTIFICATION lereby certify that the Consumer Confidence Report (CCR) has been distributed to the customers of this public water system and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the communication included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public ter system officials by the Mississippi State Department of Health, Bureau of Public Water Supply
Lary Frittle Mayor 5-25-17
ame/Title (President, Mayor, Owner, etc.)  Date
Submission options (Select one method ONLY)
Mail: (U.S. Postal Service)  MSDH Bureau of Public Water Supply

Mail: (U.S. Postal Service) MSDH, Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

Email: water.reports@msdh.ms.gov

## 2016 Annual Drinking Water Quality Report Town of Maben PWS#: 0530010

May 2017

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aguifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of Maben have received a moderate to higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Larry L. Pruitt at 662.263.4212. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 5:30 PM at City Hall located at 2374 MS HWY 15.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2016. In cases where monitoring wasn't required in 2016, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RESU	<b>ILTS</b>			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contami	inants						
8. Arsenic	N	2016	.9	No Range	ppm	n/a	10	Erosion of natural deposits; runof from orchards; runoff from glass and electronics production waste
10. Barium	N	2016	.1645	.15751645	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2016	3.3	1.7 – 3.3	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits

14. Copper	N	2012/14	1* .4	0	ррі	m	1.3	AL=1.3	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2016	.268	.254268	ppi	m	4	•	4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012/14	1* 4	0	ppl	b	0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
Disinfectio	n By-	Product	<b>:s</b>	No Range	dqq	To	Γ	60	By-Product of drinking water
01.11/4/3	'`	2010	"	Nortange	PPS	1			disinfection.
82. TTHM [Total trihalomethanes]	N	2016	16.5	No Range	ppb	0			By-product of drinking water chlorination.
Chlorine	N	2016	.60	.5468	ppm	0	MDR	1	Water additive used to control microbes

<sup>\*</sup> Most recent sample. No sample required for 2016.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our system is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 0. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 0%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Town of Maben works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

## 2018 Annual Drinking Water Quality Report Town of Manen PVVS#: 0530010 May 2017

We're pleased to greater to you this years. Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you very day. Our constant god in to provide you with a laster and dependable supply of drinking water. We want you to understand the letter's we make to continuely improve the water treatment process and protect our water resources. We are committed to ansuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

This source wasser last assessment has been completed for our public water system to determine the overall susceptibility of its crinking water supply to described polential sources of contamination in report contaming detailed information on how the susceptibility exterminations were made has been furnished to dur public water systems, and is waitable for viewing upon request. The walls for the Town of Maben have received a moderable to higher susceptibility privings to contamination.

If you have any questions about this report or concerning you; weter utility, please contact Lany to Pruit at 88,253 4212. We went our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scrieduled meetings. They are need on this first Tuesday of the month at 5:30 PM at City Hautocated at 711 Second Ave., Matten, MS 39730.

We routinely monitor for contaminants in your drinking water according to Faceral and State fava. This table below lists all of the drinking water according to Faceral and State fava. This table below lists all of the drinking water contaminants that we detected during this period of January 15 to December 301. 2016. The present of the favored present and state of the present of

in this table you will find many terms and appreciations you might not be termiter with. To halp you better unperstand these terms we've provided the following definitions:

Action Level - the concentration of a contempant which, if exceeded, triggers treatment or other requirements, which is water system must follow

Maximum, Contaminant Level (ACCL) if the "Maximum Allowed" (IACL), is the highest level of a contaminant that is allowed at diciting water MCL3 and access to the MCLGs as teasible using the destinate the authority.

Macmuni Contaminant Level Gost (MCLG) - The Gost (MCLG) is the level of a contaminant in drinking water be ow which there is no known or expected risk to notify. MCLG: allow or a margin of solety.

eminimal Pasidvar Divintentant Level IMRDI) - The highest eyel of a distributant allowed in crinking water. There is convincing evidence that adultum of a distributant is nacessary to control indicate contaminants.

disvinuidi Residusi Disintectant Lovel Goal (MRDLG) - The level of a drinking water disinferant below, which there is no known or expected in a of heading in MRDLGs on not retrect the benefits of the use of disinfertants to control necrotial contaminants.

Para perindilion (ppin) or Milligrams per liter (mgm) - the pan par nillion corresponds to one migute in two years in a single penny in \$10,000

Parts parigition (npp) or Micrograms per liter-one partice; billion corresponds to one minute in 2,000 years on a single pentry in \$10,000,000.

				TEST RESU	LTS			n in 1985 <u>a Kaling in 1986.</u>
Costamiliani	Viciation:	Date Collected	Level Detected	Range of Datects or # of Samples Exceeding MCL/ACL	Unit Nessure ment	MCLG	MCL	Likely Source of Comamination
Inorganic C	ontami	inants						المعارض والمعارض والمناوي
B Arsenic	N.	2016	9	No Range	ppin	rs/9.	16	Erosion of natural deposits, runoff from probants: runoff from place and elegationics production wastes
10 Barium	N	2016	1645	1575 :1845	орт	2	3	O scharge of drilling viastes; discharge from metal refineries; erosion of natural decosts
13 Chromium	tv:	2018	3.3	1.7 - 3.3	ap's	100	100	Discharge from steat and public mile: erosion of natural deposits
14. Copper	N	2012/14*	4	o.	ρρηγ	1:3	AL=1.3	Corrasion of household plumbing systems; erosion of natural deposite; leaching from wood preservatives
16. Flucide	N	2018	.268	254 - 268	ppm	4	*****	Erosion of natural deposits; water additive which promotes strong teach: discharge from tertilizer and aluminum factories.
17 Leed	N.	2012/14*	14	0	ррь	0	AL¤15	Corroston of household plumbing systems, erosion of natural deposits
Disinfection	ı By-Pı	oducts						
81. HA45			15 / P	to Range pub		. 0		ly-Product of drinking water. Historicalian
82; TTHM [Total [Insignfelhanes]	ч	2016 1	6.5	in Range ppb		0	•	sy-product of drinking water enterination.
Chlorine	N.	2016	60	54 - 68 ppn	87.	O ME		Mater additive used to:control

\*\* Must recent sample: No sample required for 2016.

We are required for monitor your diriking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether for not our diriking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now-notifies systems of any missing samples prior to the and of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, and young children. Lead in dinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water; but cannot contine the valiety of intabilists used in plumbing components. When your water has been retiring in several hours; you can minimize the potential for lead exposure by flushing your to 30 seconds; to 2 minutes getere using water, stitling or cooking, if you are concerned about lead in your water, you may wish to have your water tested, information on lead in drinking water. [esting methods, and steps; you can take to minimize synouries available from the Safe Orinking Water Hotiline or at http://www.enag.gov/safevterriesz. The Mississippl State Department of Health Public Health Laboratory offers lead testing. Please contact 801,578,7502 if you wish to have your water lested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our system is required to report certain results partialning to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.71.3 ppm was 0: The percentage of fluoride samples collected in the grevious calendar year that was within the optimal range of 0.71.3 ppm was 0%.

All sources of draking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be impropers, indigended or grain contamination and advances. All draking water, including political water, may reasonably be exposed to contain at least small amounts or some contaminants. The presence of contaminate does not necessarily indicate that the water poses a health list. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Againty's Safe Drinking Water Hotline at 1-300-425-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population, immuno-compromised persons such as persons with career undergoing chemotherapy, persons with have undergone organ transplants, people with HIVAIDS or other immune system disorders, some elderly, and infants can be perigularly at risk from infections. These people sticud seek advice about drinking water from their health care providers. EPACDC guidelines, or appropriate means to lesses the risk of infection by cryptosportium and other microhiplogical contaminants are available from the Safe Drinking Water Hotline 1-300-426-4791.

The Town of Maban works around the clock to provide too quality water to every tap. We ask that all our customers help us protect our water sources; which are the heart of our community; our way of the and our chitdren's future.

Publish: 06/07/17